





ROTASPIRAL SCREEN



ENHANCED DRUM SCREENING

ROTASPIRAL FEATURES




ROTARY DRUM SCREENING INCORPORATING A SPIRAL BODY FOR FAST OVERSIZE REMOVAL.

THE ROTASPIRAL CAN SCREEN TWO SIZE FRACTIONS AND CAN PROVIDE AN UN-DILUTED UNDERFLOW AND UN-DILUTED OVERSIZE.

DUAL DRIVE FOR HEAVY LOADS


V-BELTS




**VERY SMALL FOOTPRINT
CHROME SCREENING
15 TPH AT 100 μ - 75% O/S**



DUAL PRODUCT SCREENING




SINGLE PRODUCT SCREENING




RS 1.5 x 3.0 - Side View


STEEL MESH OPTIONS




PLAIN WEAVE MESH 80 μ - 10 MM



BAR BELTS 500 μ - 5 MM



CABLE BELT 500 μ - 10 MM



CABLE MESH 500 μ - 5 MM

- HIGH OPEN AREA MESH
- ACCURATE APERTURES
- SIMPLE FAST INSTALLATION
- RADIAL AND AXIAL TENSIONING
- SLOTTED CRIMPED MESH PREVENTS PEGGING
- UNAFFECTED BY HIGH OR LOW PH

**TRASH SCREENING 1150
M³/HOUR
PRE-FLOAT SCREENING AT 2.0 MM**



COAL SIZING 160 TPH AT 300 μ



APPLICATIONS

TRASH AND FIBRE SCREENING
PRE-LEACH SCREENING
MILL CIRCUIT SCREENING
PRE-THICKENER SCREENING
CARBON RECOVERY/SCALPING
CARBON SCREENING
OVERSIZE RECOVERY
PRE-FLOAT TRASH SCREENING
AUTOCLAVE PRODUCT SCREENING
SIZING APPLICATIONS
WATER CLEANING
ABATTOIR EFFLUENT SCREENING
PRE-JIG AND RAGGING SCREENING
PRE-RESIN SCREENING
LOADED RESIN SCREENING
WE CAN SCREEN FROM 80 MICRON
UP TO 10 MM

SCREEN SIZES

2.0 M²
6.0 M²
15.0 M²



20 TPH LEAD SLAG SCREENING AT
200 MICRON, 70% OVERSIZE



DETAILS

TEL: 011-412-2100
FAX: 086-553-8088
EMAIL: REIN-PSS@IAFRICA.COM
WEB: WWW.PARSEP.CO.ZA
CONTACT: REIN

4 TAMBOTIE STREET
HOMELAKE
1759
RANDFONTEIN
SOUTH AFRICA